### Garrett SuperScanner

### Counterfeit



### **Garrett SuperScanner**

Barcode Sticker Regulatory Symbols



#### Counterfeit

NO Barcode Sticker NO Regulatory Symbols



Patent Information is Different

# Garrett SuperScanner

Garrett SuperScanner label has thicker yellow outline and bolder type than counterfeit


### Counterfeit





Register Mark is Missing on Counterfeit

# Garrett SuperScanner Warranty Card



#### Counterfeit

Part Number: 116	5180
Serial Number: 3	35103894
Buyer Information	
Name:	
Address:	
City, State, Zip:	
Country:	
Phone:	

Model Name: SuperScanner

Serial Number: 35103894

Garrett Metal Detectors Warranty

Security Division

Garrett Electronics, Inc. ("Garrett") warrants that each piece of security equipment manufactured by Garrett is protected by the following limited parts and labor warrants warrants appeared of 24 (twenty-four) months (the "Warranty"). During this 24 marrants

The same serial number (35103894) is used on all counterfeit warranty cards


# Garrett SuperScanner Circuit Board

# Counterfeit Circuit Board






# **Garrett SuperScanner**



### Counterfeit Detector's Board



## Garrett Super Scanner V.S. Counterfeit units

Value Comparison	Garrett Super Scanner	Counterfeit Super Scanner
Micro Processor Technology	Yes	No
Surface mount Digital Circuitry	Yes	No
Compliant in accordance with International Quality and Performance Standards	Yes	No
International Certifications	Yes	No
Compliant with RoHS (no Hazardous materials)*	Yes	No
Warranty	2 Year	None
Customer Support	Yes	No
Training Support and Materials	Yes	No

<sup>\*</sup> Standards for waste and pollution free materials
For more information on RoHS Compliance log on to: http://www.rohscompliancedefinition.com/

## Garrett Super Scanner V.S. Counterfeit units

Performance Comparison	Garrett Super Scanner	Counterfeit Super Scanner
Detects Metal Objects	Yes	Yes
Detection of Gun Detection	(6.5 inches) 15.24cm	(4.75 inches) 12.07cm
Detection of Hand Cuff Key	(3 inches) 7.62cm	(1.62 inches) 4.12cm
Detection Bullet .22 caliber	(2.18 inches) 5.08cm	(1.06 inches) 2.69cm
Maintains Detection over Operating Temperatures Range -35°F (-37°C) to -158°F (-70°C)	Yes	No
Maintains Reliable Operation *	Yes	No

<sup>\*</sup> Super scanner must maintain consistent and reliable performance during normal use. Performance must not degrade over time.

### Garrett Super Scanner V.S. Counterfeit units

**Target Detection Comparison** 

